ELSEVIER

Hearing Research 132 (1999) 161

HEARING RESEARCH

Author Index Volume 132

Ahroon, W.A., see Hamernik, R.P. (132) 140
Albers, F.W.J., see Wit, H.P. (132) 131

Bautz, A., see Oukda, M. (132) 85
Beitz, E., see Kumagami, H. (132) 69
Beitz, E., Kumagami, H., Krippeit-Drews, P., Ruppersberg, J.P. and Schultz, J.E.
Expression pattern of aquaporin water channels in the inner ear of the rat. The molecular basis for a water regulation system in the endolymphatic sac (132) 76

Chen, G.-D. and Fechter, L.D.
Potentiation of octave-band noise induced auditory impairment by carbon monoxide (132) 149
Cody, A.R., see Mountain, D.C. (132) 1

Dournon, C., see Oukda, M. (132) 85

Fechter, L.D., see Chen, G.-D. (132) 149
François, M., see Oukda, M. (132) 85
Furukawa, M., Suzuki, H., Ikeda, K., Oshima, T., Yamaya, M., Sasaki, H. and Takasaka, T.
Kinin and histamine stimulate Cl^- secretion in gerbil middle ear epithelium: connection to otitis media (132) 109

Hallworth, R., see Jarboe, J.K. (132) 43
Hamernik, R.P. and Ahroon, W.A.
Susceptibility of the noise-toughened auditory system to noise-induced trauma (132) 140
Hao, L.F., see Khanna, S.M. (132) 15
Huang, C.Q. and Shepherd, R.K.
Reduction in excitability of the auditory nerve following electrical stimulation at high stimulus rates. IV. Effects of stimulus intensity (132) 60
Hutchins, G.D., see Wong, D. (132) 34

Ikeda, K., see Furukawa, M. (132) 109

Jarboe, J.K. and Hallworth, R.
The effect of quinine on outer hair cell shape, compliance and force (132) 43

Khanna, S.M. and Hao, L.F.
Reticular lamina vibrations in the apical turn of a living guinea pig cochlea (132) 15
Krippeit-Drews, P., see Beitz, E. (132) 76
Kumagami, H., Beitz, E., Wild, K., Zenner, H.-P., Ruppersberg, J.P. and Schultz, J.E.
Expression pattern of adenylyl cyclase isoforms in the inner ear of the rat by RT-PCR and immunochemical localization of calcineurin in the organ of Corti (132) 69

Kumagami, H., see Beitz, E. (132) 76

Membre, H., see Oukda, M. (132) 85
Miyamoto, R.T., see Wong, D. (132) 34
Mountain, D.C. and Cody, A.R.
Multiple modes of inner hair cell stimulation (132) 1

Narins, P.M., see Smotherman, M.S. (132) 117

Oshima, T., see Furukawa, M. (132) 109
Oukda, M., François, M., Membre, H., Bautz, A. and Dournon, C.
Crystallographic and chemical composition of otoconia in the salamander Pleurodeles waltl (132) 85

Patterson, R.D., see Wiegrebe, L. (132) 94
Pisoni, D.B., see Wong, D. (132) 34

Ruppersberg, J.P., see Beitz, E. (132) 76
Ruppersberg, J.P., see Kumagami, H. (132) 69

Sasaki, H., see Furukawa, M. (132) 109
Schultz, J.E., see Kumagami, H. (132) 69
Schultz, J.E., see Beitz, E. (132) 76
Sehgal, M., see Wong, D. (132) 34
Shepherd, R.K., see Huang, C.Q. (132) 60
Sie, K.C.Y., see Tampakopoulou, D.A. (132) 51
Smotherman, M.S. and Narins, P.M.
Potassium currents in auditory hair cells of the frog basilar papilla (132) 117
Suzuki, H., see Furukawa, M. (132) 109

Takasaka, T., see Furukawa, M. (132) 109
Tampakopoulou, D.A. and Sie, K.C.Y.
Cisplatin ototoxicity in developing gerbils (132) 51
Thalen, E.O., see Wit, H.P. (132) 131

Wiegrebe, L. and Patterson, R.D.
The role of envelope modulation in spectrally unresolved iterated rippled noise (132) 94
Wild, K., see Kumagami, H. (132) 69
Wit, H.P., Thalen, E.O. and Albers, F.W.J.
Dynamics of inner ear pressure release, measured with a double-barreled micropipette in the guinea pig (132) 131
Wong, D., Miyamoto, R.T., Pisoni, D.B., Sehgal, M. and Hutchins, G.D.
PET imaging of cochlear-implant and normal-hearing subjects listening to speech and nonspeech (132) 34

Yamaya, M., see Furukawa, M. (132) 109

Zenner, H.-P., see Kumagami, H. (132) 69

ELSEVIER

Hearing Research 132 (1999) 162–164

HEARING RESEARCH

Subject Index Volume 132

Adenylyl cyclase
Calcineurin; Protein phosphatase 2B; Inner ear; Polymerase chain reaction; Immunohistochemistry (Kumagami, H. (132) 69)

Amphibian
Aragonite; Calcite; Inner ear; Equilibration (Oukda, M. (132) 85)

Amplitude modulation
Temporal pitch; Random phase; Unresolved harmonics; Rippled noise; Complex tone (Wiegrebe, L. (132) 94)

Aquaporin
Inner ear; Vasopressin; Vesicle transport (Beitz, E. (132) 76)

Aqueduct
Cochlea; Hydrops; Endolymph; Menière (Wit, H.P. (132) 131)

Aragonite
Calcite; Inner ear; Equilibration; Amphibian (Oukda, M. (132) 85)

Auditory brainstem response
Cisplatin; Ototoxicity; Otoacoustic emission; Gerbil (Tampakopoulou, D.A. (132) 51)

Auditory nerve
High rate electrical stimulation; Electrically evoked auditory brainstem response; Cochlear implant (Huang, C.Q. (132) 60)

B_2 bradykinin receptor
Short-circuit current; Intracellular Ca^{2+} concentration; Lysyl-bradykinin; H_1 histamine receptor (Furukawa, M. (132) 109)

Basilar papilla
Frog; Hearing; Hair cell (Smotherman, M.S. (132) 117)

Calcineurin
Adenylyl cyclase; Protein phosphatase 2B; Inner ear; Polymerase chain reaction; Immunohistochemistry (Kumagami, H. (132) 69)

Calcite
Aragonite; Inner ear; Equilibration; Amphibian (Oukda, M. (132) 85)

Calmodulin
Quinine; Outer hair cell motility; Force; Myosin light chain kinase; Free radical (Jarboe, J.K. (132) 43)

Carbon monoxide
Hearing loss; Ototoxicity; Octave-band noise; Compound action potential; Cochlear microphonics; Rat (Chen, G.-D. (132) 149)

Cisplatin
Ototoxicity; Otoacoustic emission; Auditory brainstem response; Gerbil (Tampakopoulou, D.A. (132) 51)

Cochlea
Hair cell; Electromotility; Micromechanics; Computational model (Mountain, D.C. (132) 1)

Hydrops; Endolymph; Menière; Aqueduct (Wit, H.P. (132) 131)

Guinea pig; Reticular lamina; Sensory cell; Interferometry; Negative feedback (Khanna, S.M. (132) 15)

Cochlear implant
Imaging; Positron emission tomography; Speech perception; Language; Deaf (Wong, D. (132) 34)

Auditory nerve; High rate electrical stimulation; Electrically evoked auditory brainstem response (Huang, C.Q. (132) 60)

Cochlear microphonics
Hearing loss; Carbon monoxide; Ototoxicity; Octave-band noise; Compound action potential; Rat (Chen, G.-D. (132) 149)

Complex tone
Temporal pitch; Random phase; Unresolved harmonics; Amplitude modulation; Rippled noise (Wiegrebe, L. (132) 94)

Compound action potential
Hearing loss; Carbon monoxide; Ototoxicity; Octave-band noise; Cochlear microphonics; Rat (Chen, G.-D. (132) 149)

Computational model
Cochlea; Hair cell; Electromotility; Micromechanics (Mountain, D.C. (132) 1)

Deaf
Imaging; Cochlear implant; Positron emission tomography; Speech perception; Language (Wong, D. (132) 34)

Electrically evoked auditory brainstem response
Auditory nerve; High rate electrical stimulation; Cochlear implant (Huang, C.Q. (132) 60)

Electromotility
Cochlea; Hair cell; Micromechanics; Computational model (Mountain, D.C. (132) 1)

Endolymph
Cochlea; Hydrops; Menière; Aqueduct (Wit, H.P. (132) 131)

Equilibration
Aragonite; Calcite; Inner ear; Amphibian (Oukda, M. (132) 85)

Force
Quinine; Outer hair cell motility; Calmodulin; Myosin light chain kinase; Free radical (Jarboe, J.K. (132) 43)

Free radical
Quinine; Outer hair cell motility; Force; Calmodulin; Myosin light chain kinase (Jarboe, J.K. (132) 43)

Frog
Hearing; Hair cell; Basilar papilla (Smotherman, M.S. (132) 117)

Gerbil
Cisplatin; Ototoxicity; Otoacoustic emission; Auditory brainstem response (Tampakopoulou, D.A. (132) 51)

Guinea pig
Cochlea mechanics; Reticular lamina; Sensory cell; Interferometry; Negative feedback (Khanna, S.M. (132) 15)

H_1 histamine receptor
Short-circuit current; Intracellular Ca^{2+} concentration; Lysyl-bradykinin; B_2 bradykinin receptor (Furukawa, M. (132) 109)

Hair cell
Cochlea; Electromotility; Micromechanics; Computational model (Mountain, D.C. (132) 1)

Frog; Hearing; Basilar papilla (Smotherman, M.S. (132) 117)

Hearing
Frog; Hair cell; Basilar papilla (Smotherman, M.S. (132) 117)

Carbon monoxide; Ototoxicity; Octave-band noise; Compound action potential; Cochlear microphonics; Rat (Chen, G.-D. (132) 149)

High rate electrical stimulation
Auditory nerve; Electrically evoked auditory brainstem response; Cochlear implant (Huang, C.Q. (132) 60)

Hydrops
Cochlea; Endolymph; Menière; Aqueduct (Wit, H.P. (132) 131)

Imaging
Cochlear implant; Positron emission tomography; Speech perception; Language; Deaf (Wong, D. (132) 34)

Immunohistochemistry
Adenylyl cyclase; Calcineurin; Protein phosphatase 2B; Inner ear; Polymerase chain reaction (Kumagami, H. (132) 69)

Inner ear
Adenylyl cyclase; Calcineurin; Protein phosphatase 2B; Polymerase chain reaction; Immunohistochemistry (Kumagami, H. (132) 69)

Aquaporin; Vasopressin; Vesicle transport (Beitz, E. (132) 76)

Aragonite; Calcite; Equilibration; Amphibian (Oukda, M. (132) 85)

Interferometry
Cochlea mechanics; Guinea pig; Reticular lamina; Sensory cell; Negative feedback (Khanna, S.M. (132) 15)

Intracellular Ca^{2+} concentration
Short-circuit current; Lysyl-bradykinin; H_1 histamine receptor; B_2 bradykinin receptor (Furukawa, M. (132) 109)

Language
Imaging; Cochlear implant; Positron emission tomography; Speech perception; Deaf (Wong, D. (132) 34)

Lysyl-bradykinin
Short-circuit current; Intracellular Ca^{2+} concentration; H_1 histamine receptor; B_2 bradykinin receptor (Furukawa, M. (132) 109)

Menière
Cochlea; Hydrops; Endolymph; Aqueduct (Wit, H.P. (132) 131)

Micromechanics
Cochlea; Hair cell; Electromotility; Computational model (Mountain, D.C. (132) 1)

Myosin light chain kinase
Quinine; Outer hair cell motility; Force; Calmodulin; Free radical (Jarboe, J.K. (132) 43)

Negative feedback
Cochlea mechanics; Guinea pig; Reticular lamina; Sensory cell; Interferometry (Khanna, S.M. (132) 15)

Noise trauma
Noise-induced toughening (Hamernik, R.P. (132) 140)

Noise-induced toughening
Noise trauma (Hamernik, R.P. (132) 140)

Octave-band noise
Hearing loss; Carbon monoxide; Ototoxicity; Compound action potential; Cochlear microphonics; Rat (Chen, G.-D. (132) 149)

Otoacoustic emission
Cisplatin; Ototoxicity; Auditory brainstem response; Gerbil (Tampakopoulou, D.A. (132) 51)

Ototoxicity
Cisplatin; Otoacoustic emission; Auditory brainstem response; Gerbil (Tampakopoulou, D.A. (132) 51)

Hearing loss; Carbon monoxide; Octave-band noise; Compound action potential; Cochlear microphonics; Rat (Chen, G.-D. (132) 149)

Outer hair cell motility
Quinine; Force; Calmodulin; Myosin light chain kinase; Free radical (Jarboe, J.K. (132) 43)

Polymerase chain reaction
Adenylyl cyclase; Calcineurin; Protein phosphatase 2B; Inner ear; Immunohistochemistry (Kumagami, H. (132) 69)

Positron emission tomography
Imaging; Cochlear implant; Speech perception; Language; Deaf (Wong, D. (132) 34)

Protein phosphatase 2B
Adenylyl cyclase; Calcineurin; Inner ear; Polymerase chain reaction; Immunohistochemistry (Kumagami, H. (132) 69)

Quinine
Outer hair cell motility; Force; Calmodulin; Myosin light chain kinase; Free radical (Jarboe, J.K. (132) 43)

Random phase
Temporal pitch; Unresolved harmonics; Amplitude modulation; Rippled noise; Complex tone (Wiegrebe, L. (132) 94)

Rat
Hearing loss; Carbon monoxide; Ototoxicity; Octave-band noise; Compound action potential; Cochlear microphonics (Chen, G.-D. (132) 149)

Reticular lamina
Cochlea mechanics; Guinea pig; Sensory cell; Interferometry; Negative feedback (Khanna, S.M. (132) 15)

Rippled noise
Temporal pitch; Random phase; Unresolved harmonics; Amplitude modulation; Complex tone (Wiegrebe, L. (132) 94)

Sensory cell
Cochlea mechanics; Guinea pig; Reticular lamina; Interferometry; Negative feedback (Khanna, S.M. (132) 15)

Short-circuit current
Intracellular Ca^{2+} concentration; Lysyl-bradykinin; H_1 histamine receptor; B_2 bradykinin receptor (Furukawa, M. (132) 109)

Speech perception
Imaging; Cochlear implant; Positron emission tomography; Language; Deaf (Wong, D. (132) 34)

Temporal pitch
Random phase; Unresolved harmonics; Amplitude modulation; Rippled noise; Complex tone (Wiegrebe, L. (132) 94)

Unresolved harmonics
Temporal pitch; Random phase; Amplitude modulation; Rippled noise; Complex tone (Wiegrebe, L. (132) 94)

Vasopressin
Inner ear; Aquaporin; Vesicle transport (Beitz, E. (132) 76)

Vesicle transport
Inner ear; Aquaporin; Vasopressin (Beitz, E. (132) 76)